

New Release

LTEC Corporation

Your most experienced partner in IP protection

Battery Cooling Blower: NISSAN NOTE AURA Teardown Report and PCB Circuit Analysis Report



NISSAN NOTE AURA

Source:https://www3.nissan.co.jp/vehicles/new/aura.html



External appearance of cooling blower



PCB

Overview

As the shift to EVs progresses in the future, cooling of LiBs will become an important factor. Therefore, LTEC conducted product analysis to understand the capabilities of current cooling blowers. Four Battery Cooling Blower are for NISSAN NOTE AURA, TOYOTA/YARIS, HONDA/FIT, and NISSAN/X-TRAIL were analyzed. LTEC released two reports each. (1) Teardown report, (2) PCB circuit analysis report. This is the brochure for NISSAN NOTE AURA, which is e-Power HV.

Product features

- Forced air cooling of lithium-ion batteries (350V, 1.57kWh)
- NOTE AURA sales launch date: Aug. 17, 2021
- Cooling blower Model number: BASF710D02A

Dimensions: (W)203mm x (L)220mm x (H)102mm, Weight: 670 g

PCB Size: (W)83mm x (L)77mm x (t) 1.4mm, Number of layer: 2, Number of component: 116

Report Contents

- (1) Teardown (16 Pages)
- Teardown process and components measurement (size & weight)
- Identify key ICs and components including datasheet when we find it.
- PCB and other parts connection
- (2) Circuit analysis report (30 Pages)
- (1) + Components level detailed schematic and function block diagram

Report price

Delivered one week after order placement Please contact us for report pricing.



LTEC Corporation US Representative Office www.ltec-biz.com/en/ 2310 Homestead Rd, C1 #231 Los Altos, CA 94024 Phone: +1-(650) 382-1181 contact2@ltec.biz

Report No : 24G-0027-1,2 Release day : 2024.5.31

(1) Teardown report

TABLE OF CONTENTS

			Page
<u>Summary</u>			
Table 1	Product information	•••	3
<u>Product disassembly</u>			
	Product Overview		4
	Assembly parts [housing (lower part)]	•••	5
	Assembly parts [PCB holding part cover]		7
	Assembly parts [Packing]		8
	Assembly parts [PCB + connector]	•••	9
	Assembly parts [housing (upper part)]	•••	10
	Assembly parts [connector]	•••	11
	Assembly parts [PCB]		12
<u>Overview</u>			
Fig. 1	PVB Overview		13
Fig. 2	Main parts mounting position	•••	14
Fig. 3	Moisture-proof material application area		15
<u>Connection</u>			
Fig. 4	Connection diagram	•••	16



Phone: +1-(650) 382-1181 contact2@ltec.biz

Report No : 24G-0027-1,2 Release day : 2024.5.31

(2) PCB Circuit analysis report

TABLE OF CONTENTS

			Dago	
<u>Summary</u>			Page	
Table 1	Product information	•••	3	
PCB Overview				
Table 2	PCB information	•••	4	
<u>Overview</u>				
Fig. 1	Product Overview	•••	10	
Fig. 2-1	Product label/stamp 1	•••	11	
Fig. 2-2	Product label/stamp 2	•••	12	
Fig. 3-1	Product Teardown 1	•••	13	
Fig. 3-2	Product Teardown 2	•••	14	
Fig. 3-3	Product Teardown 3	•••	15	
Fig. 4	PCB Overview	•••	16	
Fig. 5	PCB X-Ray	•••	17	
Fig. 6	PCB Overview (after removing parts)	•••	18	
Fig. 7-1	L1 Layer View (Top View)	•••	19	
Fig. 7-2	L2 Layer View (Top View)	•••	19	
Parts Location				
Fig. 8-1	Parts Location (Top View)		20	
Fig. 8-2	Parts Location (Bottom View)	•••	21	
<u>Elements</u>				
Table 3	Number of mounted parts	•••	22	
Fig. 9	Elements	•••	22	
<u>Interface</u>				
Fig. 10-1	Connector 1	•••	23	
Fig. 10-2	Connector 2	•••	24	
<u>Sensor</u>				
Fig. 11	Sensor Location		25	
<u>Circuit</u>				
Fig. A-1	Block Diagram	•••	A-1	
Fig. A-2	Schematic	•••	A-2	
Parts information				
Table B	Parts List		B-1	



Phone: +1-(650) 382-1181 contact2@ltec.biz